

# SUBJECT INDEX

## A

- Abamectins, 91-117  
 degradation of, 96-98
- Acalymma*,  
*innubrum*, 574  
*themei*, 574, 578-79  
*vitatum*, 574, 579
- Acarinaria, 621, 626
- Acarus, 619  
*immobilis*, 624-25
- Acoustical traps, 385
- Acromyrmex*, 649
- Acrosternum hilare*, 122
- Aculops lycopersici*, 102
- Acyrtosiphum pisum*, 519-20, 524
- Aedes*  
*aegypti*, 143-44, 147-48, 150-51, 168, 365, 369, 459-60, 462-65, 468, 476-477  
*albopictus*, 459-84  
*atropalpus*, 515-517  
*freeborni*, 517  
*gambiae*, 320  
*scutellaris*, 466, 472  
*sierrensis*, 599  
*solicitans*, 365, 517  
*taeniorhynchus*, 366  
*togoi*, 478, 515  
*triseriatus*, 168, 374, 462-63, 477
- Afrocalvolia*, 618
- Agathis thompsoni*, 72-73
- Age and maternal effects, 516, 521-22
- Agrilus opulentus*, 650
- Agriotes*, 123
- Agromyza*, 542, 546  
*fromella*, 536-57, 543, 45-46, 552
- Agrotis*  
*crinigera*, 490  
*ipsilon*, 388
- AIDS transmission, 367-68
- Alabidopus*, 619
- Aleurocanthus*  
*husaini*, 446  
*spiniferus*, 446, 449  
*spinosus*, 446  
*woglumi*, 437-38, 443-44, 446, 449
- Aleurocybotus occiduus*, 436-38, 446
- Aleurodicus*, 435  
*cocoi*, 443, 446  
*dispersus*, 434  
*pimentae*, 446
- Aleurolobus barodensis*, 446
- Aleuroplatus coronata*, 434
- Aleurothrixus*, 432  
*floccosus*, 434, 438-39, 446, 450
- Aleurotrachelus jelinekii*, 434, 446, 449-50
- Aleyrodes*  
*brassicae*, 440  
*fragariae*, 446  
*proletella*, 432, 439, 443, 446, 449
- Alighting behavior, 73-75
- Alkaloids, 70
- Allatectomy and host-seeking behavior, 147-48
- Allonemobius*, 517
- Allotropa*, 268
- Allozymes of mosquitoes, 466-68, 472-73
- Alsophila pometaria*, 82, 572
- Amblyomma*  
*americanum*, 590, 595, 598, 604, 660, 665-75  
*cajennense*, 665, 670-71, 673, 675-76  
*maculatum*, 598, 665, 668, 670-71, 673-75  
*variegatum*, 664
- Amblyseius*, 267  
*aerialis*, 268  
*fallacis*, 313-14  
*gossipi*, 109-10
- Ameranoetus*, 622
- Amino acids and storage hexamers, 207-23
- Anagrus*, 266  
*niombae*, 264
- Anastrepha suspensa*, 168, 171
- Ancistrocerus antilope*, 621, 625-26
- Anemotaxis*, 143
- Anoetus*, 621  
*halictionidus*, 626
- Anomala orientalis*, 386
- Anopheles*  
*albimanus*, 470  
*freeborni*, 150, 365  
*gambiae*, 168, 468  
*labranchiae*, 150  
*quadrinaculatus*, 374, 471
- Anoplognathus*, 644, 648
- Antheraea polyphemus*, 421
- Anthidium*, 621
- Anthocharis cardamines*, 76-77
- Anthonomus grandis*, 120, 122
- Anthrenus flavipes*, 108
- Antonina graminis*, 390
- Ants  
 and abamectins, 98-99  
 and biological control, 495  
 and *Eucalyptus*, 640, 649  
 and leaf-miners, 538  
 and mealybugs, 270  
 and mites, 621  
 and oviposition behavior, 72  
 and rootworms, 235  
 and turfgrass, 391
- Aphids  
 and abamectins, 102  
 and *Eucalyptus*, 650  
 and gene amplification, 1-23  
 and insecticide resistance, 1-23  
 and maternal effects, 518  
 and polycultures, 569, 571, 577-78, 580
- Aphidius nigripes*, 516
- Aphis*  
*craccivora*, 569  
*fabae*, 102, 111, 519, 524  
*nerii*, 519-20
- Aphytis melinus*, 109
- Apis mellifera*, 50, 208, 212
- Apolysis  
 and sensilla, 341  
 and whiteflies, 435
- Aporia crataegi*, 80
- Arboviruses and mosquitoes, 473
- Arenivaga investigata*, 666
- Argas reflexus*, 666
- Arylphorin*, 207, 212-22
- Associational resistance, 566-68
- Asterobemis carpini*, 446, 449
- Astigmata and phoresy, 611-32
- Ataenius spretulus*, 386-387, 394
- Athalia rosae*, 124
- Atherigona*, 123

- Atta*, 649  
*Attagus unicolor*, 108  
 Attractants, 317-18  
 Avermectins in arthropod pest control, 91-117  
 Azadirachtin, 311, 316
- B**
- Bacillus*  
*popilliae*, 394-95  
*thuringiensis*, 315, 324, 395, 476, 491  
 Baits for rootworms, 242-44  
*Battus philenor*, 74-75, 81, 577  
 Bedbugs and HIV, 367-70  
*Bedellia*, 551  
 Bees  
 and abamectins, 97  
 and dietary self-selection, 50-51  
 and gene transformation, 175  
 and mites, 621  
 Behavior  
 and biological control, 494  
 and plant protectants, 305-30  
 and pheromones, 408  
 of ticks, 660  
 Behavioral adaptations, 319-20  
*Bemisia tabaci*, 123, 432, 434-45, 447, 450  
*Bessa remota*, 488  
 Biodegradation of insecticides, 239, 241, 392  
 Biological control  
 of cassava pests, 257-83  
 impact of, 485-509  
 of leaf-miners, 550-52  
 of mosquitoes, 475-76  
 of rootworms, 234-36  
 of turfgrass pests, 394-95  
 Biosystematics of chewing lice, 185-203  
 Biting lice and retroviruses, 364  
*Blatta orientalis*, 208, 216, 218  
*Blattella germanica*, 99, 208, 213  
 Blissus  
*insularis*, 389  
*leucopterus*, 389  
 Blood feeding behavior, 139-158  
*Boletoglyphus ornatus*, 626  
*Bolitotherus cornutus*, 626  
 Boll weevil, 122-24  
*Bombyx*, 167  
*mori*, 209, 214, 218, 221-22, 513, 515, 523-25  
*Boophilus*  
*annulatus*, 670-71, 673-74  
*microplus*, 372, 660, 669  
*Borrelia burgdorferi*, 587-604  
 Bovine retroviruses, 370-73  
*Brachus ovatus*, 547  
 Brachyptery and oviposition behavior, 81-82  
*Brevicoryne brassicae*, 569  
*Bryobia praetiosa*, 390  
*Bucculatrix*, 551-52
- C**
- Cactoblastis cactorum*, 76  
*Calliphora*, 208  
*erythrocephala*, 208, 211, 214, 218-19, 470  
*stygia*, 208  
*vicina*, 214, 216-17, 220-21, 516-18  
*Calliphorin*, 211-212, 216-17, 219-220  
*Callosobruchus maculatus*, 318, 520, 522  
*Calpodex ethlius*, 209, 214, 216  
*Cameraria*, 538, 545  
 Cannibalism, 545-46  
 Carbamates and rootworms, 236  
 Carbofuran, 237, 239-40  
 Carbohydrates and dietary self-selection, 47-49  
 Carbon dioxide  
 and host-seeking behavior, 140-142, 144-46  
 and sensilla, 346  
 Carcinogens, 4  
 Cardenolides, 69  
*Cardiaspina albitextura*, 645  
*densitexta*, 645  
*Carpoglyphus lactis*, 613, 624, 626  
 Cassava  
 mealybugs, 257-83  
 pests, 257-83  
*Celatoria diabroticae*, 234  
*Ceratitis capitata*, 168, 208, 497  
*Ceratoma*  
*ruficornis*, 571  
*trifurcata*, 122  
*Chaetodactylus*, 618-19  
*Chamaedaphne*, 548, 551  
*Chartocerus*, 266  
*Chauliognathus*, 235  
 Chemosensilla, 334-37  
 Chewing lice of pocket gophers, 185-203  
*Chilo partellus*, 123  
*Chilocorus cacti*, 628  
 Chlorinated hydrocarbons and rootworms, 236  
 Cholinesterase, 4-5  
 Choriion, 2  
*Choristoneura fumiferana*, 78  
*occidentalis*, 106, 412  
*Chortoicetes terminifera*, 524  
 Chromosomes  
 and gene amplification, 13-18  
 and gene transformation, 160  
 and mosquitoes, 461, 469  
 and oviposition behavior, 68, 72  
 of pocket gophers, 186, 196-99  
 and retroviruses, 356-57  
 and storage hexamers, 221  
 and translocation, 3, 7-8  
*Chrysoscharis*, 105, 545  
*Chrysodeixis eriosoma*, 497  
*Chrysotomomyia*, 105  
*Chrysopharta*  
*bimaculata*, 644  
*Chrysops flavidus*, 366  
*Chrysoteuchia topiaria*, 388  
*Chymomyca procnemis*, 170-71  
*Cimex*  
*hemipterus*, 369-70  
*lectularius*, 369-70  
 Circadian rhythms and host-seeking behavior, 152  
 Cladistic relationships for chewing lice, 199  
 Classical biological control, 485-509  
 Cleptoparasitism, 621  
*Coccinella septempunctata*, 498  
*Coccymymin disparis*, 501  
 Cockroaches  
 and abamectins, 99-100  
 and behavior, 312  
 and dietary self-selection, 48-50, 53-54  
 and HIV, 368  
 and juvenile hormone, 153  
 and storage hexamers, 213  
 and water balance, 666  
*Coelaenomenodera elaeidis*, 552  
 Coevolution, 65-66  
 Cold-hardiness  
 of mosquitoes, 465  
 of ticks, 660  
*Coleoglyphus*, 620  
*Coleomegilla maculata*, 565-66  
*Coleoichus Blackburniae*, 489-90  
*Colias*, 318-19  
*eurytheme*, 67, 70, 75  
 Color and whiteflies, 443  
*Colotis*, 80  
 Competition  
 and leaf-miners, 545  
 and mosquitoes, 476-477  
*Conogethes punctiferalis*, 69  
*Copidosoma floridanum*, 497  
*Copronomia*, 622  
*Copodiscia*, 548, 551-52  
*negligens*, 546  
*Coptotermes formosanus*, 312

- Corn earworm, 44  
 Corpora allata, 147, 151  
 Cospeciation in chewing lice, 198-99  
*Cotesia glomeratus*, 491  
*Cotinus nitida*, 387  
*Crambus*  
   *praefecellus*, 388  
   *sperryellus*, 388  
*Cratosomus flavofasciatus*, 123  
*Creightonella*, 621  
*Cremis periculosa*, 646  
 Crop rotation and rootworms, 230-32  
 Cross resistance, 4, 10  
   and abamectins, 110  
*Cryptolemus montrouzieri*, 109  
*Ctenomorphodes tessulata*, 643  
 Cucurbitacins, 317  
   and rootworms, 242  
   as plant protectants, 308  
*Culex*, 14, 148-52, 369  
   *pipiens*, 9-11, 144, 147, 149, 374  
   *pipiens quinquefasciatus*, 1-23, 364-65, 374  
   *tarsalis*, 9, 11, 365  
*Culicoides variipennis*, 365  
*Culiseta inornata*, 365  
*Cuterebra horripilum*, 342  
 Cuticle  
   and sensilla, 333, 341  
   and storage hexamers, 217  
   of ticks, 667-71  
 Cuticulin and sensilla, 333  
*Cyclocephala*, 394  
   *borealis*, 386  
   *lurida*, 386  
 Cycloienes and rootworms, 239  
*Cydia pomonella*, 69, 107  
*Czernipskia transversostriata*, 617
- D
- Dactyletiopsis opuntiae*, 499  
*Dacus*  
   *cucurbitae*, 123  
   *frontalis*, 123  
*Dalbulus maidis*, 569, 572  
*Danauus plexippus*, 78  
 DDT, 312, 314, 316, 320, 475  
 Defenses in trees, 25-42  
 Defoliation  
   and *Eucalyptus* pests, 646  
   and induced resistance, 28  
 Degradation of abamectins, 106  
*Delia brassicae*, 576  
 Dendrites and sensilla, 333-342  
 Dengue, 461-64, 472, 476  
 Density dependence and population analysis, 296-97
- Depressaria*  
   *daucella*, 121  
   *depressella*, 121  
   *pastinacella*, 76  
*Dermacarus piliarsus*, 623  
*Dermacenter*  
   *albipictus*, 666, 670-72, 674-75  
   *marginatus*, 666  
   *occidentalis*, 598, 604, 667  
   *parumapertus*, 598  
   *variabilis*, 590, 595, 598, 660, 667, 676  
*Dermatophagoides*, 618  
 Deterrence and plant protectants, 313, 316-17  
*Diabrotica*, 123, 308, 323  
   *barberi*, 229  
   *undecimpunctata*, 95, 230, 309  
   *virgifera*, 229-30  
 Diabroticite rootworms in corn, 229-55  
*Dialectica*, 552  
*Dialeurodes*  
   *chittendeni*, 433, 436, 447, 449  
   *cirri*, 432, 435-36, 447, 449  
   *citrifolii*, 432  
*Dialeuroloa elongata*, 447  
*Dianamobius*  
   *fasciatus*, 517  
   *taprobanensis*, 517  
 Diapause, 245  
   and biological control, 491  
   hormone, 523  
   and host-seeking behavior, 146, 149-151  
   of leaf-miners, 548  
   and maternal effects, 512-18  
   of mosquitoes, 464-65  
   and rootworm eggs, 231-32, 245-46  
   of ticks, 591, 660  
*Diatraea*  
   *grandiosella*, 214  
   *saccharalis*, 81  
*Dicrodiplosis manihoti*, 264  
*Didymuria virescens*, 643  
 Diet switching, 44  
 Dietary self-selection, 43-63  
*Diglyphus intermedius*, 105  
*Diomus*, 263, 269  
 Dispersal and insect population analysis, 297-98  
 Distribution of sensilla, 342-47  
 Distributions of populations, 286-87  
 DNA, 2-4, 8, 10-16, 18, 164, 469-72  
   and gene transformation, 159-83  
   and HIV, 368
- and mosquitoes, 461, 468-69  
 and retroviruses, 355-57, 359  
 sequencing, 207  
 and storage hexamers, 220  
*Doclostaurus maroccanus*, 44  
*Doratifera*, 644  
*Drosophila*, 13-16, 159-83, 470, 522  
   *crucigera*, 208  
   *hawaiiensis*, 166  
   *mauritiana*, 166, 173  
   *melanogaster*, 11-12, 160-77, 200-21, 334, 341-42, 345, 347, 521, 523  
   *mimica*, 208  
   *mulleri*, 208  
   *simulans*, 166  
   *willistoni*, 166  
*Dryophilodes*, 640  
 Dust mites, 618
- E
- Ecdysis and sensilla, 341  
 Ecdysone and storage hexamers, 216, 219  
 Ecdysteroids and diapause, 524  
*Echimyopus dasypus*, 630  
 Ecology of ixodid ticks, 659  
 Economic thresholds for rootworms, 244-46  
 Economics of biological control, 496-98  
*Ectelmus paucimaculatus*, 547  
*Eldana saccharina*, 123, 131  
 EMA, 111  
*Empoasca fabae*, 578  
 Endangered species, 488-92  
 Endocrines and maternal effects, 523-25  
 Endocrinology and host-seeking behavior, 147-151  
*Ensliniella kostylevi*, 625  
*Ephesia*, 75, 167  
*Epidinocarsis*  
   *diversicornis*, 266, 268  
   *lopezi*, 257-60, 263-66, 268-73  
*Epilachna*  
   *borealis*, 309  
   *varivestis*, 111, 122, 575, 578  
*Epirimerus pyri*, 104  
 Equine infectious anemia virus, 358-67  
*Eriocraniella*, 547  
*Eriophyes*  
   *cynodonensis*, 389  
   *discordis*, 101  
 Essential oils and *Eucalyptus* pests, 639, 641  
 Esterases and gene amplification, 6-9  
 Estragole, 242, 244

- Eucalyptus*, pests of, 637-57  
*Eugenol*, 242, 244  
*Euphydryas*, 83  
   *anicia*, 76-77  
   *chalcidona*, 77, 308  
   *editha*, 67, 72-73, 75, 77  
*Euryides marcellus*, 74  
*Euschistus*, 122  
*Euseius*  
   *concordis*, 268  
   *stipulatus*, 109  
*Euthystira brachyptera*, 52  
*Euxoa*, 120  
   *messoria*, 124  
   *ochrogaster*, 573-74  
   *tessellata*, 124  
 Evolution  
   of behavioral resistance, 332-33  
   of chewing lice, 198-99  
   of oviposition behavior, 65-89  
   of storage hexamers, 205-28  
 Excretion by whiteflies, 440  
*Exochomus*, 263-64  
 Extinction and biological control, 488-92
- F**
- Farnesene, 69  
 Fat body and storage hexamers, 205-23  
 Feeding behavior  
   and dietary self-selection, 43-63  
   and plant protectants, 306, 308  
   and sensilla, 332  
 Feeding deterrents and sensilla, 334, 347  
 Feline retroviruses, 373  
*Fibulanoetus*, 620  
*Fissicrambus mutabilis*, 388  
 Flavoproteins, 213, 218-19, 220  
 Foraging, models for, 45  
*Formica rufa*, 622  
 Fungi  
   and cassava green mites, 267  
   and cassava mealybugs, 266  
   and rootworms, 235  
   and turfgrass pests, 395-97
- G**
- GABA and avermectins, 94  
*Galendromus*  
   *annectens*, 268  
   *helveolus*, 268  
*Galleria mellonella*, 209, 214  
*Ganepidium humeri*, 105  
 Gene  
   amplification, 1-23  
   flow, 199, 467-68, 472  
   vectors, 160, 164-5, 169, 172-78  
 Genetic  
   changes and behavior, 318-22  
   drift in mosquitoes, 467  
 Genetics  
   of *Aedes albopictus*, 466-68  
   and biological control, 494  
   and diapause, 518  
   of maternal effects, 526  
   and oviposition behavior, 67-68  
 Geographic variation and diapause, 517  
*Geomydoecus*, 185-203  
   *alcorni*, 192-93  
   *alleni*, 190  
   *betleyae*, 194  
   *biagi*, 194  
   *bulleri*, 190, 192  
   *californicus*, 190, 194-95  
   *chapini minor*, 188-84  
   *cherrieri*, 192  
   *chiapensis*, 190-91  
   *copei*, 190, 192  
   *coronadot*, 190  
   *costaricensis*, 192  
   *dalglishi*, 190-91  
   *davidhufneri*, 192  
   *expansus*, 190  
   *geomysidi*, 190  
   *hoffmanni*, 192  
   *mcgregori*, 190, 193  
   *mexicanus*, 190  
   *nebrathkensis*, 197  
   *neotruncatus*, 191  
   *oklahomensis*, 197  
   *oregonus*, 190, 195  
   *panamensis*, 190, 192  
   *polydentatus*, 193  
   *pygacanthi*, 191  
   *quadridentatus*, 190-91  
   *scleritus*, 190  
   *setzeri*, 192  
   *subcalifornicus*, 190  
   *telli*, 190, 193  
   *temaulipensis*, 193  
   *texanus*, 190-91  
   *thomomya*, 190, 194, 197  
   *tolucae*, 190, 195  
   *trichopi*, 190, 195  
   *truncatus*, 190-91  
   *umbrini*, 190  
*Glaborodorus stokesii*, 491  
*Glossina morsitans*, 521  
 Glucosinolates, 69  
 Glutathione S-transferases, 5  
 Glycaspis, 646  
 Glycophagus, 619  
   *destructor*, 624  
*Glyphanoetus nomiensis*, 626  
*Goniapterus scutellatus*, 644, 650  
 Gonotrophic dissociation, 149
- Grasshoppers  
   and dietary self-selection, 44, 50, 52-53  
   and *Eucalyptus*, 650  
*Greya subalba*, 72-73, 79  
 Gustation and sensilla, 332, 335-36, 347  
 Gypsy moths, 44, 67-68
- H**
- Habitat range and biological control, 494  
*Hadena*, 75  
   *bicruris*, 68, 74  
*Haemaphysalis*  
   *leporispalustris*, 598-99  
   *punctata*, 665  
*Haematobia irritans*, 342, 517  
*Halicus rubicundus*, 626  
*Hedyleria*  
   *euryprora*, 490  
   *fullawayi*, 490  
   *mcricki*, 490  
   *musicola*, 490  
*Heliconius*, 50, 75-76, 78  
*Heliothis*, 11, 133, 411  
   *armigera*, 106  
   *subflexa*, 68  
   *virescens*, 68, 106, 111, 315, 517-18, 521  
   *zea*, 48-50, 52-58, 106, 110-11, 123, 125, 206, 209, 411, 518  
*Hemisarcophaga*, 625  
   *coccophagus*, 624  
   *cooremani*, 628, 631  
 Hemocyanins, 206-10, 212, 220-22  
 Hemolymph proteins, 205-23  
 Hepatitis B virus, 367  
 Herbicides and gene amplification, 4  
 Herbivory on *Eucalyptus*, 637-57  
*Hericia hericia*, 622, 625  
*Herpetogramma*  
   *licarsalis*, 388  
   *phaeopteris*, 388  
*Heteropan dolens*, 488  
*Heteropsylla*, 499  
 Hexamerins, 205-28  
*Histiogaster arborsignis*, 613  
*Histiostoma*, 625  
   *bakeri*, 624  
   *feroniarum*, 622  
   *laboratorum*, 624, 626  
   *polypori*, 627  
 HIV  
   and insects, 369  
   transmission, 367-70  
 Hobo vectors, 166-67  
*Holcorthorax*, 545

- Holobus*, 267  
*Holometina*  
*immaculata*, 415-16  
*lunae*, 409  
*Homeopronematus anconai*, 102  
*Homoeosoma electellum*, 411  
Honey bees and dietary self-selection, 50-51  
Honeydew  
and dietary self-selection, 55  
and leaf-miner fecundity, 542  
of whiteflies, 431, 434, 440  
Hormones and maternal effects, 527  
*Hormosianoetus aeschlimanni*, 615  
Host  
parasite relationships, 185-203  
plant resistance and turfgrass pests, 396-97  
preference in Lepidoptera, 65-89  
range and biological control, 493  
seeking behavior in mosquitoes, 139-158  
specificity of leaf-miners, 537  
Houseflies, 6, 12-13  
Human retroviruses, 368  
Humidity  
and sensilla, 334  
and whiteflies, 445  
*Hyalomma*  
*anatolicum*, 666  
*scutense*, 673  
*Hyalophora cecropia*, 209, 213-14, 218-19, 220  
*Hybomitra lasiophthalma*, 367  
Hybrid dysgenesis, 165  
*Hylaeogena*, 538, 543  
*Hylephila phyleus*, 389  
*Hymecetes squamosus*, 650  
*Hyperaspis*  
*jucunda*, 263, 268  
*notata*, 268-69  
*raynevali*, 263, 269  
*senegalensis*, 263  
*Hyperceteina aldrichi*, 394  
*Hyperodes*, 387  
Hyperparasitism, 266  
*Hypanthria cunea*, 214  
*Hypochlora alba*, 345  
*Hypodectes propus*, 630  
Hypopus, 615-17  
I  
Immunodeficiency viruses, 367-70  
Indole, 243, 247  
Induced resistance, 25-42  
Induction of defenses in trees, 25-42  
Insecticide resistance  
and gene amplification, 1-23  
of mosquitoes, 475-76  
Insecticides  
and behavior, 305  
and rootworms, 236  
and turfgrass pests, 391-92  
Integrated pest management, see IPM  
IPM  
Intercropping, 561-62  
Inversions and gene amplification, 15  
Ionone, 243, 247  
IPM  
and dietary self-selection, 43-61  
and pheromones, 408  
and turfgrass pests, 397-98  
and vegetational diversity, 561  
*Ips*, 130, 625  
*typographus*, 121-22  
Ivermectin, 95  
*Ixodes*  
*angustus*, 599  
*dammini*, 588-97, 600, 602-3, 665-66  
*dentatus*, 593, 595  
*hemagonus*, 602  
*neotomae*, 598  
*pacificus*, 588, 592, 595, 598, 604  
*persulcatus*, 588, 667  
*ricinus*, 588, 595, 597-98, 602, 604, 665-67  
*scapularis*, 588, 595, 598  
J  
Japanese beetle, 386-87, 393-94, 396  
*Junonia coenia*, 68  
Juvenile hormone  
and host-seeking behavior, 147-48, 151, 153  
and photoperiod, 523-25  
and sensilla, 341  
and storage hexamers, 213  
K  
Kairomones and trap cropping, 128  
*Kriegeria lycopersicella*, 106  
*Kennethiella trisetosa*, 621, 625-26  
Key factor analysis, 295-99  
L  
*Labdia*, 545  
La Crosse encephalitis, 462-63  
Lactic acid and host-seeking behavior, 140-49, 152  
*Lardoglyphus*, 624  
*Larva bicolor*, 394  
*Lasius neiger*, 235  
Leafminers  
and abamectins, 104-05  
bionomics of 535-60  
Learning  
and oviposition behavior, 75  
and plant protectants, 312, 315  
*Leiopleura*, 541  
Lepidoptera and abamectins, 106-108, 111  
*Leptidea sinapis*, 74, 76-77  
*Leptinotarsa decemlineata*, 111, 122  
*Leucophaea maderae*, 344  
*Leucophaea*, 549  
*caffena*, 552  
*coffeella*, 552  
*Levuana*, 495  
*iridescent*, 488  
Lice, 185-203  
and *Borrelia*, 588  
population model, 188-89  
Life-tables  
and population analysis, 295  
for whiteflies, 445  
Light and whiteflies, 443  
Lipids and storage hexamers, 219  
Lipophorin, 213, 219  
Liposomes, 175-76  
*Liriomyza*, 536-37  
*trifolii*, 104-05, 123, 313-14, 551  
*Listronotus maculicollis*, 387  
*Lithocolletis*, 536, 548  
*salicifoliella*, 546  
*quercus*, 547  
*Lobesia botrana*, 107  
Locusta  
*migratoria*, 54, 58, 168-69, 208, 213, 217, 219, 310, 345, 520  
*pardalina*, 516  
Locusts  
and dietary self-selection, 52-54, 58  
and maternal effects, 520, 525  
*Lophyrotoma*  
*anal*, 645  
*interrupta*, 645  
*Loxostege frustalis*, 496  
*Lucilia*  
*caesar*, 335, 517  
*cuprina*, 177, 208, 220-21  
*Lycia*, 81  
*Lygus*, 133  
*elitus*, 122

- hesperus*, 122  
*lineolaris*, 571  
*rugulipennis*, 123  
*voessleri*, 123, 125  
*Lymantria dispar*, 79, 81-82, 106, 209, 212, 218, 220, 496, 521  
 Lyme disease, 587-609  
 Lysosomes and storage hexamers, 219
- M**
- Macrocheles glaber*, 615  
*Maculina arion*, 490  
*Malacasoma americana*, 214, 346  
*californicum*, 521  
*neustria*, 346  
*Maladera castanea*, 386  
 Malathion and mosquitoes, 475  
 Mallophaga, 185-203  
*Mamestra brassicae*, 339, 417  
*configurata*, 410  
*Manduca sexta*, 50, 54, 106, 209, 212, 215-217, 221-22, 335, 338, 340  
*Margarodes*, 390  
*Maruca testulalis*, 124, 130  
 Maternal effects, 511-34  
 Mating behavior of leaf-miners, 542 of whiteflies, 440-41  
 Mealybugs, 257-83  
 Mechanosensilla, 333-34  
*Megacnestrinia*, 620  
*Megachile*, 621  
*Megalagrion pacificum*, 490  
*Megastigmus*, 640  
*Megoura viciae*, 519, 524  
*Melanoplus bilituratus*, 52  
*bivittatus*, 53  
*differentialis*, 52-53  
*femurrubrum*, 53  
*sanguinipes*, 53, 517  
*Meligethes aeneus*, 122  
*Metastelulus occidentalis*, 104, 109  
*Microfilaria* and avermectins, 95  
*Microtharax*, 492  
 Microtubules and sensilla, 333-34, 337-38  
 Migration and insect population analysis, 297-98 of whiteflies, 444-45  
 Milbemycins, 93  
 Mimicry and leaf-miners, 543  
 Mites and abamectins, 95, 100-104, 108-110
- behavior of, 313  
 and cassava, 257  
 and diapause, 516  
 and leaf-miners, 547  
 and phoresy, 611  
 and plant protectants, 307  
 and pyrethroids, 321  
 and rootworms, 235-36, 242  
 and trap cropping, 125  
 and turf, 389-90  
 and whiteflies, 450  
 Mixed-function oxidases, 5-6, 12  
*Mixoma virus*, 490, 495  
*Mnesampela privata*, 643  
 Models for foraging 45 for turfgrass pests, 393  
 Molting and sensilla, 341  
*Mononychellus tanajouae*, 257-83  
*Mormoniella viripennis*, 515-16  
 Mosquitoes, 459-84 and biological control, 491, 495 and blood meals, 361 and DDT, 320 and gene amplification, 1-23 and gene transformation, 159, 168 and genetic control, 163 and hepatitis B virus, 367-69 and HIV, 368 and host-seeking behavior, 139-158 and insecticide resistance, 1-23 and lyme disease, 599 and maternal effects, 515 and olfaction, 138-158 and retroviruses, 361, 364, 365, 368, 370, 374  
*Murgantia histrionica*, 490  
*Muridectes heterocephali*, 615  
*Musca domestica*, 110, 208  
 Mutation rates, 165  
*Myrmica*, 72  
*Mythimna separata*, 415  
 Myxomatosis, 502  
*Myzus persicae*, 1-23, 519-20, 571
- N**
- Naiadacarus arboricola*, 622, 625  
*Nasonia viripennis*, 517  
 Natural enemies of cassava pests, 258, 263 and polycultures, 562, 564, 568, 572-574 of rootworms, 234 and trap cropping, 120, 125, 128, 132, 134 of whiteflies, 449-50
- Nectar and dietary self-selection, 50-51, 55 and mites, 624 and natural enemies, 565 and oviposition behavior, 77  
 Nematodes and avermectins, 92, 94-96 and biological control, 491, 495 and gene transformation, 164, 173 and rootworms, 235 and turfgrass pests, 395  
*Neoaeplectana carpocapsae*, 235  
*Neodiprion rugifrons*, 308  
*swaini*, 308  
*Neomaskellia andropogonis*, 447  
*bergii*, 447  
*Neoseiulus anonyms*, 268  
*californicus*, 268  
*fallacis*, 517  
*idaeus*, 267-68  
*Neotrachys*, 538  
*Neoxenoryctes reticulatus*, 615, 623  
*Nephelodes minians*, 388  
*Nephotettix virescens*, 123  
*Nepticula*, 552  
 Neurons and sensilla, 337-40  
*Nezara viridula*, 122, 489  
*Nicrophorus*, 620  
*Nilaparvata lugens*, 123  
*Nomadacris septemfasciata*, 521  
*Nomia melanderi*, 626  
*Nosema* and diapause, 491  
 Nutrients and dietary self-selection, 45-48  
 Nutrition and host-seeking behavior, 151 of whiteflies, 439-40  
*Nysius raphanus*, 571
- O**
- Octotoma*, 552  
*Ocyptamus*, 261  
*Odonaspis ruthae*, 390  
*Odontota dorsalis*, 542, 552  
 Odors and host-seeking behavior, 143  
*Oechalia*, 490  
*Ogyris amaryllis*, 72  
 Olfaction in mosquitoes, 139-58 and oviposition behavior, 74 and sensilla, 144-45, 331, 336-37, 346  
*Oligonychus ilicis*, 307  
*Olizonychus pratensis*, 390

- Oncogenes, 2, 356-59
- Oncopeltus*  
*fasciatus*, 516-18, 522, 526  
*cingulifer*, 522-23
- Operophtera*, 81
- Optimal foraging models, 45
- Orchesella cincta*, 520
- Organophosphorus insecticides  
and gene amplification, 4-6  
and rootworms, 237, 239
- Orgyia*, 82  
*antiqua*, 516-17, 523  
*pseudotsugata*, 82  
*thyllina*, 516-17
- Orius tricolor*, 574
- Ornithodoros*, 588  
*coriaceus*, 598
- Oscinella frit*, 389
- Osmoderma eremicola*, 614,  
625-26
- Osmosensilla, 337
- Ostrinia nubilalis*, 124
- Oviposition  
behavior, 65-89  
by leaf-miners, 542  
and plant protectants, 315
- P**
- P-element system, 160-66
- Pachyschelus*, 542-43  
*aversus*, 541  
*psychotriarum*, 542, 549
- Panolis flammea*, 69
- Panonychus*  
*citri*, 102  
*ulmi*, 104, 109
- Papilio*, 83  
*machaon*, 70  
*oregonius*, 67-68, 72, 75  
*polyxenes*, 68-69, 209  
*protenor*, 69  
*xuthus*, 68  
*zelicaon*, 67-68, 72, 75, 124
- Parabemisia myricae*, 437-38,  
441, 444-45, 447
- Paraleyrodes*, 438
- Paralimna decipiens*, 170
- Paranapiacaba waterhousei*, 571
- Parapsyrus manihoti*, 260
- Parasite-host associations, 185-  
203
- Parasites and abamectins, 105
- Parasitism by mites, 630-31
- Parasitoids  
and leaf-miners, 540-41, 543-  
45, 549-51  
and oviposition behavior, 73  
and polycultures, 564, 568  
and trap cropping, 131
- Paropsis  
*atomaria*, 641-42, 644  
*charybdis*, 641-42, 650
- Parthenogenesis  
in lice, 193-94  
in whiteflies, 441
- Patasson nitens*, 650
- Pathogens and rootworms, 235
- Pectinophora gossypiella*, 106
- Pediasia trisepta*, 388
- Pegomya nigriarsis*, 542
- Pelzneria*, 620
- Penthaeus major*, 390
- Perditha*, 545, 548
- Perga affinis*, 645
- Peridroma saucia*, 388
- Periplaneta americana*, 217,  
337, 344
- Perisocus quadrifasciatus*, 517
- Permethrin and mosquitoes, 475
- Perthida glyphopa*, 78, 541,  
643
- Pesticide resistance and trap  
cropping, 134
- Pesticides and behavior, 311
- Pests and vegetational diversity,  
561-86
- Phaedon cochleariae*, 123
- Phagostimulants, 339, 347
- Phenacoccus*  
*herreni*, 260-61, 263  
*madeirensis*, 264  
*manihoti*, 257-83
- Phenols and induced resistance,  
31-33
- Pheromones, 407-30  
and age, 409-10  
and communication in moths,  
407-30  
and DDT, 316  
emission of, 409  
and humidity, 417-18  
and oviposition behavior, 75  
as plant protectants, 317  
receptivity, 409  
and rootworms, 242  
and sensilla, 346  
and trap cropping, 124, 130  
and traps, 121, 419-22  
and turfgrass pests, 393  
and pathogens, 412-13, 422  
and photoperiod, 409-10, 413  
and whiteflies, 441  
and wind speed, 418-19
- Phidippus audax*, 110
- Phigalia*, 81
- Phoracantha semipunctata*, 650
- Phoresy in the Astigmata, 611-  
36
- Phormia regina*, 55
- Photoperiod  
and diapause, 514-20, 523  
and light intensity, 416  
and maternal effects, 512  
and mosquitoes, 464-65, 472,  
474  
and pheromones, 409-10, 413  
and temperature, 413  
and whiteflies
- Phyllocnistis*, 542
- Phyllocoptruta oleivora*, 101
- Phyllonorycter*, 546-47, 549-51
- crataegella*, 552  
*blancardella*, 542, 548, 552  
*harrisella*, 541  
*ringoniella*, 545
- Phyllophaga*  
*crenata*, 387  
*latifrons*, 387
- Phyllotreta cruciferae*, 574,  
576, 578
- Phytomyza*, 537, 541-42, 545  
*ilicicola*, 308, 540, 546
- Phytoseiid mites, 13, 101, 261,  
267-69, 313-14
- Phytoseiulus persimilis*, 13
- Phytoseius finitimus*, 101
- Pieris*, 70, 83  
*brassicae*, 69, 74-76, 80,  
214, 339  
*napi*, 73, 77, 318  
*rapae*, 69, 74-76, 80, 579
- Piezodorus guildinii*, 122
- Plasmids  
and gene transformation, 166-  
74  
and retroviruses, 375
- Platynota stultana*, 409, 413
- Plodia interpunctella*, 174, 209,  
212, 410, 417
- Plutella xylostella*, 107-08
- Podocanthus wilkinsoni*, 643
- Pollen  
and dietary self-selection, 50-  
51, 55  
and natural enemies, 565  
and pheromones, 411
- Pollination  
and oviposition behavior, 78  
and rootworms, 246
- Polycultures and pest pop-  
ulations, 561-86
- Polymorphism and maternal  
effects, 518-25
- Polyphagotarsonemus latus*, 102
- Polyphenism and maternal  
effects, 518-25
- Polyploidy and gene amplifica-  
tion, 15
- Pontia daplidice*, 77
- Papillia japonica*, 386
- Population  
analysis, 285-304  
dynamics of whiteflies, 445-  
50
- Pristiphora erichsonii*, 308
- Prochiloneurus insolitus*, 266
- Promecotheca*  
*coeruleipennis*, 552  
*cumingi*, 552
- Prosapia bicincta*, 390

- Proteins and dietary self-selection, 47-49
- Pseudodeltia unipuncta*, 388, 410-11, 415
- Pseudophasia includens*, 107
- Psila rosae*, 123, 131
- Psorophora columbiae*, 365-66
- Psylla pyricola*, 105
- Psyllids and abamectins, 105
- Pteronemobius fasciipes*, 517
- Pterostichus melanarius*, 575
- Pyemotes*, 614
- giganticus*, 615
- Pyrethroids and behavior, 313-15
- Pyrrhocoris apterus*, 520
- R
- Receptor specificity, 339
- Reflex bleeding and mites, 629
- Reproductive isolation, 465
- Resistance
- to insecticides, 239, 241
- of plants, 234
- Resource concentration and pest populations, 575-79
- Retrotransposons, 356
- Retroviruses, 355-81
- Reverse transcriptase, 356-57, 359, 369
- Rhipicephalus*
- appendiculatus*, 660, 667
- sanguineus*, 598
- Rhizoglyphus*, 626
- echinopus*, 624-25
- Rhizotrogus majalis*, 386
- Rhopalomeatus*, 620
- Rhynchaenus*, 546, 548
- fagi*, 437, 541-42, 545, 548-49, 552
- RNA, 3-4, 8, 10, 12, 357
- and storage hexamers, 217, 220
- and gene transformation, 178
- genomes, 355
- splicing, 171
- virions, 356
- Rootworms, 229-55
- S
- Saliva and retroviruses, 362
- Salivary glands and water balance, 666-67
- Sampling
- and insect populations, 285-304
- techniques, 292-95
- Sancassania*
- berlesii*, 624, 626
- boharii*, 625-26
- moniezii*, 628
- Sarcophaga*
- bullata*, 220, 516, 524
- peregrina*, 215
- Sarcoptes scabiei*, 617
- Scabies, 617
- Scaphytopius acutus*, 571
- Scapteriscus*
- acletus*, 385
- vicinus*, 385
- Scaptomyza nigrita*, 541
- Schistocerca gregaria*, 52, 310, 521
- Schizaphis graminum*, 390
- Schizoglyphus biroi*, 618
- Sclerotization and storage hexamers, 207, 217
- Scolopalial sensilla, 333-34
- Scolothrips*, 267
- sexmaculatus*, 104
- Secondary compounds and *Eucalyptus* pests, 639-40
- Self-selection of optimal diets, 43-63
- Semiochemicals
- and behavioral ecology, 407-30
- and rootworms, 241-42, 248
- Sensilla
- and host-seeking behavior, 144-45
- of immature insects, 331-54
- Sensory neurons, 337
- Sequential
- estimations of populations, 292-93
- sampling, 393
- Sequestration of plant compounds, 73
- Serotonin and dietary self-selection, 58
- Sex ratios
- in mites, 629
- of parasitoids, 265
- and rootworms, 243
- in whiteflies, 442
- Simulium*, 95
- Sinigrin, 69, 75
- Siphoninus*, 439
- phillyreae*, 445, 447
- Sitotroga*, 614
- Sitotroga cerealella*, 412
- Soil insecticides and rootworms, 236-42
- Solenopsis invicta*, 98
- Sophophora*, 166
- Spalpis lemolea*, 264
- Spatial patterns of populations, 286-91
- Sphenophorus*
- parvulus*, 387
- venatus*, 387
- Spiders
- and abamectins, 110
- and dietary self-selection, 45, 52
- and leaf-miners, 547
- Spilosoma congrua*, 418
- Spirochetes and ticks, 588
- Spodoptera, 133
- eridania*, 106
- exigua*, 106, 111
- frugiperda*, 5, 111, 124, 388
- linoralis*, 54, 106
- litura*, 124, 131, 212, 214, 220
- Stable flies and retroviruses, 366
- Stathomorrhopa aphotista*, 644
- Stegomyia, 459
- Steinernema feltiae*, 235
- Sterile-male release programs, 163
- Stethorus*, 267
- Stilbosis*, 545, 548
- quadriscutellata*, 546-47
- Stomoxys calcitrans*, 374
- Storage hexamers, 205-28
- Stretkoviacarus*, 617
- Strip cropping, 562
- Supella longipalpa*, 53-54
- Symmorphus canadensis*, 547
- Symphorobius maculipennis*, 268
- Symphysia*, 545
- Synanthedon*
- exitiosa*, 107
- pictipes*, 107
- T
- Tabanids and retroviruses, 366
- Tabanus*
- fuscicostatus*, 362, 364, 366-67, 372
- lineola*, 360
- nigrovittatus*, 372
- nipponicus*, 371-72
- quinquevittatus*, 364, 366-67
- sulcifrons*, 367
- trigeminus*, 372
- Tachygonidius dasypus*, 543
- Tachygonus*, 539
- Tannins and *Eucalyptus* pests, 639, 641
- Taphrocercus*, 538-39, 542-43, 549
- Tegeticula*, 75, 78-79
- Tehama bonifetella*, 388
- Telenomus dignus*, 131
- Teleonemia scrupulosa*, 497
- Temperature
- and diapause, 515-18
- and maternal effects, 512-13
- and sensilla, 334
- Tenebrio molitor*, 522, 626
- Termites
- behavior of, 312



- and *Eucalyptus*, 640, 646, 649  
and mites, 621  
and storage hexamers, 213
- Tetraleurodes*  
*acaciae*, 446-47  
*semilunaris*, 447  
*stanfordi*, 437
- Tetranychus*  
*pacificus*, 104, 110  
*urticae*, 102-04, 109-11, 268, 309, 313-14, 321
- Thermo-hygroscensilla, 334
- Thermoreceptors and host-seeking behavior, 145-46
- Thomomydoecus*, 185-203  
*hyersi*, 194  
*minor*, 190, 195  
*neocopei*, 190, 195  
*wardi*, 190, 194-95  
*zacatecae*, 197
- Thrips tabaci*, 123
- Ticks  
and HIV, 368  
and lyme disease, 587-609  
off host ecology, 659-81  
permeability of, 668-71  
and retroviruses, 372  
*Tildenia*, 540
- Tillage and rootworms, 232-33, 240
- Tineola bisselliella*, 108
- Tomicus piniperda*, 122
- Toxins and behavior, 318
- Toxorhynchites amboniensis*, 369
- Translocation and gene amplification, 15-16, 18
- Transmission  
of lyme disease, 544-95  
of retroviruses, 359-81
- Transovarial infection, 594, 597
- Transposable elements, 174
- Transposons, 160-61, 164-67, 169, 172-74
- Trap cropping, 562  
in pest management, 199-138  
for rootworms, 233
- Traps  
and pheromones  
and sound, 385-86  
for rootworms, 243-44
- Trialeurodes*  
*abutiloneus*, 448  
*lauri*, 448  
*vaporariorum*, 432-39, 441-43, 445, 448
- Triatoma infestans*, 213, 219
- Tribolium*, 339  
*confusum*, 50-51, 95
- Trichodectus*, 188
- Trichogramma evanescens*, 515
- Trichogrammatoidea eldanae*, 130
- Trichoplusia*, 75, 213  
*ni*, 111, 220, 222, 409-10, 414, 418-19
- Trichopoda pilipes*, 489
- Trigonospila brevifacies*, 491
- Trissolcus*  
*basalis*, 489  
*murgantiae*, 490
- Trux costatus*, 626
- Truxocopes minutus*, 626
- Turfgrass pest insects, 383-406
- Typhlodromalus limonicus*, 268
- Typhlodromus occidentalis*, 314
- Tyria jacobaeae*, 70
- Tyrophagus formicetorum*, 622
- U
- Uraba lugens*, 643
- Uroplata*, 552
- Utetheisa ornatrix*, 419
- V
- Vasiform Orifice of whiteflies, 434-36
- Vector  
competence of mosquitoes, 463-64  
DNA, 164  
potential of mosquitoes, 461
- Vedalia beetle, 485
- Vegetational diversity and pests, 561-86
- Vidia*, 621
- Virions, 356-58
- Viruses and mosquitoes, 461
- Vision and oviposition behavior, 74
- Vitamins and dietary self-selection, 48, 57
- Vitellogenesis and host-seeking behavior, 146, 151
- Vitellogenin and storage hexamers, 213, 218
- W
- Water balance of ticks, 660-76
- Waxes of whiteflies, 434
- Whitefly biology, 431-57
- Wyeomyia*  
*aporonema*, 153  
*smithii*, 153
- X
- Xenanoetus*, 622
- Xenocastor fedjushini*, 623
- Y
- Yellow fever, 461, 463-64
- Yolk deposition, 215
- Z
- Zeuzera coffeae*, 650
- Zophobas atratus*, 521